

# Index

- $B_i(x)$ , 220
- $C[a, b]$ , 37
- $C^n(a, b)$ , 527
- $O(x^n)$ , 530
- $\varepsilon$ , 5, 6
- $\|\mathbf{x}\|_1$ , 87
- $\|\mathbf{x}\|_2$ , 86
- $\|\mathbf{x}\|_\infty$ , 86
  
- A-stable, 314
- Adams method, 323
- adaptive quadrature, 281
- adjacency matrix, 161, 192, 193
  - benzene, 193
  - Hückel Hamiltonian matrices, 193
  - Markov chain, 164, 509
  - naphthalene, 193
- airfoil cross-section, 244
- Akima algorithm, 237
- allometric function, 388
- amplification factor, 315, 317, 323, 349
- Armijo's method, 437
- asymptotically stable, 302
- augmented matrix, 78
  
- backtracking sampling method, 437
- backward Euler method, 317, 512
- barycentric Lagrange formula, 250
- Bernoulli equation, 351, 405
- BLAS, 21
- blind source separation problem, 494
- brachistochrone problem, 453
- Brent's method, 54
- bungee cord, 31
  
- causality, 342
- chapeau function, 213
  
- characteristic equation, 127
- Chebyshev interpolation, 230
  - exponential convergence, 232, 235
  - interpolation error, 232
  - used for integration, 281
  - used for solving nonlinear equations, 54
- Chebyshev points, 230
- Chebyshev polynomial, 233
- Cholesky factorization, 102, 103
  - incomplete, 431
  - normal equation, 364
- Clenshaw-Curtis quadrature, 281
- coefficient of determination, 490
- Colebrook equation, 62
- compensated summation, 13, 14
  - integration, 285
- complex Taylor series expansion, 340
- composite Hermite rule, 267
- condition number, 91, 92
  - diagonal matrix, 96
  - elliptical contours, 418
- conjugate gradient method, 419
  - finite termination property, 420
- consistent approximation, 311
- contrast function, 499
- correct significant digits, 92
- corrected trapezoidal rule, 267
- covariance, 397
- crime rates, 487
- Crout factorization, 74, 80
- cubic B-splines, 218, 221, 267
  - derivative, 250
  - integrals, 250
  - least squares, 406
- cubic spline
  - clamped, 216, 221, 250, 341, 390

- natural, 216, 221, 222
- not-a-knot, 216, 221, 222
- periodic end conditions, 245
- cubic spline interpolation, 215
  - integration of data, 273
  - integration rule, 267
  - interpolation rule, 228
  - minimum curvature, 224
- Dahlquist's Equivalence Theorem, 320
- descent direction, 412
  - steepest, 434
- dominant eigenvalue, 132
- Doolittle factorization, 74, 80
- dot product, 128
- double precision, 5, 6
- downsampling, 503
- drag on sphere, 64
- eigenvalue problem, 127
- elastic bar
  - minimum potential energy, 469
- elastic beam
  - minimum potential energy, 469
- elastic string
  - elastic foundation, 191
  - minimum potential energy, 451
- elliptic integral
  - first kind, 67
  - second kind, 67
- epoch, 23
- error, 18
  - for IVP solver, 319
  - iterative, 18
  - relative, 18
  - vector, 91
- error function, 66, 292
- Euler's constant, 13
- Euler-Maclaurin formula, 13
- exascale computers, 112
- explicit method, 311
- Fermi-Pasta-Ulam (FPU) chain, 130
- Fibonacci sequence, 52
- finite termination property, 420
- FitzHugh-Nagumo equations, 392
- Fletcher-Reeves method, 435
- floating-point numbers, 5
- flop, 10, 85, 420
- Freudenstein equation, 60
- Fritsch-Butland procedure, 237
- Frobenius norm, 519, 524
- Fundamental Theorem of Calculus, 322
- Gauss-Kronrod rules, 285
- Gaussian elimination, 78
- Gaussian quadrature
  - 1-point, 277
  - 2-point, 278
  - exponential convergence, 280
- Gershgorin circles, 158
- Gershgorin theorem, 158
- Goldilocks, 374
- Golub-Reinsch algorithm, 177
- Golub-Welsch algorithm, 279
- Gram matrices, 169
- Gram-Schmidt, 149
  - modified, 150
- Gram-Schmidt procedure, 146
  - least squares, 367
- Great Internet Mersenne Prime Search, 12
- Halley's method, 67
- Hamming norm, 124
- hat function, 213
- Hermite interpolation, 237, 243
- Hessian, 435, 528
- Hilbert matrix, 122
- Homer Simpson, 25
- Horner's method, 15, 207
- ideal gas law, 64
- IEEE-754, 5
- ill-conditioned, 92
- image compression, 178
- implicit method, 317
- incomplete Cholesky factorization, 431
- independent component analysis
  - contrast function, 499
  - downsampling, 503
  - EEG rule, 503
  - kurtosis, 499
  - mixing matrix, 495
  - unmixing matrix, 498
  - whitening source data, 496
- induced matrix norm, 90
- Inf, 9
- interpolation
  - cubic splines, 215, 390
  - global polynomial, 205, 225
  - Lagrange, 207
  - piecewise linear, 211, 226
  - piecewise quadratic, 237, 251
- inverse iteration, 141
- inverse orthogonal iteration, 160
- irreducible, 158, 166
- iterative error, 18, 135, 416

- IVP solvers
  - A-stable, 314
  - Adams method, 323
  - backward Euler, 317
  - Euler's method, 311
  - Heun's method, 327
  - leapfrog method, 318
  - RK2, 325
  - RK4, 328, 335, 341, 390, 392
  - that conserve energy, 355
  - trapezoidal method, 322, 335, 338
  - velocity Verlet method, 339
- Jacobi preconditioner, 430
- Jacobian, 107, 435
- Kermack-McKendrick model, 332
- Koopman theory, 513, 525
- kurtosis, 499
- Lagrange interpolation, 207
  - interpolation error, 224
- Lagrange multipliers, 481
- lasso regularization, 372
- law of mass action, 332
- leapfrog method, 318, 324
- least squares
  - cubic splines, 406
  - nonlinear, 385
  - normal equation, 362, 364
  - QR approach, 366
- least squares solution, 370
- Legendre polynomial, 279
- Leslie matrix, 195
- Levenberg-Marquardt method, 443
- line search problem, 411, 436
- Lobatto quadrature, 298, 329
  - IVP solver, 329
- logistic equation, 302, 311, 323, 327, 358, 389
- Lorentzian function, 281
- loss of significance, 10
- LU factorization, 72, 80
  - computing time, 153, 405
  - Crout, 74, 80
  - Doolittle, 74, 77, 80
  - faster than, 111
  - flops, 85
  - pivoting, 78
  - tri-diagonal matrix, 104
- machine epsilon, 5, 6
- magic matrix, 121
- mantissa, 5
- Markov chain, 509
- Mars, 353
- matrix
  - condition number, 92
  - defective, 129
  - dense, 106
  - diagonally dominant, 100
  - exchange, 198
  - Gram, 169
  - ill-conditioned, 92
  - inverse of  $2 \times 2$ , 93
  - irreducible, 158, 166, 167, 194, 196
  - lower triangular, 72, 80
  - negative definite, 461
  - normal, 117
  - orthogonal, 152
  - positive definite, 98, 124, 414, 420
  - rotation, 498
  - sparse, 105
  - storage requirement, 84
  - strictly diagonally dominant, 100
  - strictly lower triangular, 431
  - trace, 157
  - tri-diagonal, 81, 103, 453
  - unit lower triangular, 80, 114, 400
  - unit upper triangular, 80
  - upper triangular, 72, 78, 80
- matrix factorization
  - LU, 80
  - LDL<sup>T</sup>, 114
  - QP, 200
  - QR, 152
  - QDQ<sup>T</sup>, 167, 535
  - UL, 114
  - USV<sup>T</sup>, 173
  - U<sup>T</sup>U, 102
  - ZZ<sup>T</sup>, 522
- matrix norm, 88
- mean absolute deviation, 490
- mean squared prediction error, 490
- Mersenne prime, 12, 23
- method of false position, 57
- Michaelis-Menten function, 358
- Michaelis-Menten model, 62
  - numerical solution, 350
- midpoint rule, 323
- minimum potential energy, 452
- mixing matrix, 495, 497
- model function
  - allometric, 388
  - asymptotic regression, 358
  - logistic, 358
  - Michaelis-Menten, 358, 385
  - power law, 388

- modified Lagrange formula, 210
- Mooney-Rivlin model, 31, 293
- Moore-Penrose pseudo-inverse, 197, 368, 508
  - QR, 394
  - SVD, 394
- mutually orthogonal, 420
  
- NaN, 9
- National Vegetable Research Station, 447
- Nelder-Mead algorithm, 54, 391, 447
- Newton's method, 39, 107
  - discoverer, 54
  - finding implicit functions, 47
  - finding inverse functions, 66
  - minimization, 435
  - nonlinear system, 106
- Newton's second law, 334
- ngram program, i, 483
- nodes, 205
- norm
  - $\infty$ -norm, 86, 89
  - 1-norm, 87, 89
  - 2-norm, 86
  - dimensionally consistent, 87, 485
  - energy, 120
  - Euclidean, 86
  - Frobenius, 519
  - matrix, 88
  - vector, 86
- normal equation, 362, 364
  - ill-conditioned, 365
- normal modes, 130
- numerical differentiation, 308
  - complex Taylor series expansion, 340
  - optimal step size, 307
  
- objective function, 357, 409
- one-step method, 318
- order of convergence, 37, 53
- orthogonal iteration, 147
- orthogonal matrix, 152, 167, 535
  - Orthogonal Matrix Theorem, 534
  - proper, 200
- orthogonal regression, 359, 475
- oscillators
  - chain, 130
  - coupled, 192, 354
- outer product, 176
- overflow
  - negative, 9
  - positive, 9
  
- PageRank algorithm, 165
- partial pivoting, 78
- Pascal matrix, 122
- pendulum equation, 337, 339
- permutation matrix, 77
- Perron-Frobenius theorem, 166
- persistence forecast, 514
- perturbation matrix, 109
- Picard-Lindelöf theorem, 303
- piecewise linear interpolation, 211
  - integration rule, 259
  - interpolation error, 226
- pivoting, 75
- Planck's law of blackbody radiation, 293
- Polak-Ribière method, 435, 439
- polar decomposition, 200
- population
  - interpolation, 244
- positive definite matrix, 98
  - Positive Definite Matrix Theorem, 534
- power law fluid, 344
- power law function, 388
- power method, 132, 133
- precision, 275
  - arbitrary, 12
  - double, 5, 6
  - of integration rule, 275
  - quadruple, 6
  - single, 6
  - solving matrix equations, 97
- preconditioner
  - Jacobi, 430
  - symmetric successive overrelaxation, 431
- prime numbers, 12
- principal component analysis
  - autoscaling, 485
  - centering data, 475, 478
  - error function, 476, 480
  - Guttman-Kaiser criterion, 492
  - how many components, 492
  - how many points, 492
  - range scaling, 486
  - relative residual variance, 482
  - scaling data, 475, 478
- QR factorization, 152
  - computing time, 153, 405
  - least squares, 366
- QR method, 154
  - divide and conquer, 156
  - implicitly shifted, 156
  
- Radau quadrature, 297

- radioactive decay, 301
- Rayleigh quotient
  - descent method, 465
- Rayleigh's quotient, 128
- Rayleigh's quotient iteration, 143
- regression
  - error function, 357, 359
  - fitting circle, 384
  - fitting ellipse, 401
  - lasso, 372
  - model function, 358
  - nonlinear, 385
  - objective function, 357
  - regularization, 371
  - relative error, 387
  - ridge, 372
  - Tikhonov, 396
- relative error, 18
  - matrices, 180
- relative iterative error, 18, 41
- Remez algorithm, 233
- residual, 91, 415, 423
- Reynolds number, 64
- ridge regularization, 372, 396
- robustification, 507
- Rolle's theorem, 225
- Romberg integration, 270, 291
- Rosenbrock function, 439, 444
- Rosser matrix, 119, 187
- round to nearest, 8
- row sums, 158
- Runge's function, 211, 235
- Runge–Kutta methods, 325
  - Heun, 327
  - Lobatto quadrature, 329
  - order conditions, 328, 332, 342
  - RK2, 325, 326
  - RK4, 391
- secant method, 50
  - order of convergence, 52, 53
- Simpson's rule, 264, 323
  - adaptive, 282
  - error, 264
- singular value decomposition
  - computing time, 153, 405
  - flops, 177
  - ICA, 497
  - image compression, 178
  - PCA, 476
  - principal axes, 171
  - summary, 173
- singular values, 168, 170, 173
  - geometric multiplicity, 173
- SIR model, 334
- sparse matrix, 105
- square-and-multiply algorithm, 30
- stability
  - IVPs, 314
- standard deviation, 397
- steady-state solution, 302
- steepest descent
  - direction, 416, 435
  - method, 416, 435
- Strassen's method, 111
- strictly convex, 410
- strongly connected, 166
- subnormal floats, 7
- superlinear convergence, 53
- symmetric successive overrelaxation
  - preconditioner, 431
- symplectic method, 340
- synthetic data, 391, 405
- tangent linear model, 517
- taxi-cabs, 112
- Taylor's theorem, iii, 527
- tent function, 213
- terminal velocity, 63
- testing data, 373, 487
- Thomas algorithm, 104
- Tikhonov regularization, 396
- trace, 157
- training data, 372, 487
- transpose notation, 73
- trapezoidal method, 322
- trapezoidal rule, 260, 323
  - error, 261
  - periodic function, 286, 290
- tri-diagonal matrix, 81, 103
  - eigenvalues, 120
  - eigenvectors, 201
  - invertibility, 104
  - LU factorization, 104
  - positive definite, 120
- truncation error, 531
  - IVPs, 311, 323
  - quadrature approach, 323
- two-step method, 318
- Tyrannosaurus rex, 403, 521
- unimodular matrix, 117
- unit lower triangular matrix, 80
- unit upper triangular matrix, 80
- unmixing matrix, 498
- van der Waals equation of state, 64

Vandermonde matrix, 84, 97, 150, 206,  
365

vector norm, 86

velocity Verlet, 339

whitening source data, 496, 522  
Wolfe conditions, 437

Yogi Berra, 109

Young's modulus, 344